CANELA

AUTUMN-WINTER PROMOTIONS 26

DISCOVER EXCLUSIVE TOOLING OFFERS DESIGNED TO MAXIMIZE PRODUCTIVITY AND PERFORMANCE

selected tooling solutions at special seasonal prices





Turning • Grooving • Threading • Milling • Toolholding

HIGH PERFORMANCE
Engineered for precision and long tool life.

RELIABLE QUALITY
Manufactured with strict quality control.

WIDER COMPATIBILITY
Solutions for multiple applications and machines.

BEST VALUE
Exclusive kits at special seasonal prices.

NEW

SET *A-SCLCR*

BORING BAR STARTER KIT



5PC METRIC INDEXABLE BORING BAR SET WITH CCMT INSERTS

STARTER KIT


5 BORING TOOLS

A08K-SCLCR06
A10M-SCLCR06
A12M-SCLCR06
A16R-SCLCR09
A20S-SCLCR09



A-SCLCR 95°


Reference Referència	D	h	h1	L1	L2	f	A	Insert size Mida plaqueta	kg
A08K-SCLCR06	8	7	3,5	125	16	5	11	CC.. 0602..	0,040
A10M-SCLCR06	10	9	4,5	150	22	7	13	CC.. 0602..	0,060
A12M-SCLCR06	12	11	5,5	150	25	9	16	CC.. 0602..	0,150
A16R-SCLCR09	16	15	7,5	200	30	11	20	CC.. 09T3..	0,300
A20S-SCLCR09	20	18	9,0	250	35	13	24	CC.. 09T3..	0,550




CC..

80° rhombic positive inserts with 7° clearance.
Plaquetes ròmbiques positives 80° amb 7° incidència. A30-31


Reference / Ref.	l	s	d
CC.. 0602..	6,45	2,38	6,35
CC.. 09T3..	9,65	3,97	9,52



CCGT-AL	CCGT-AP
	
CCMT	**CCMW**
	




PROMO 55RDMW




TL20

- High adhesion strength to the substrate, improving tool life stability.
- Excellent heat and oxidation resistance, TL20 prevents premature tool life failure, even when machining hardened workpieces.



Thanks to its high wear resistance and fracture toughness, TL20 ensures stable machining performance.





55_5 Milling cutter + 10 inserts for diameters up to Ø35



Reference		D	L	D1	L1	p	Insert size	PVP	PROMO PRICE
5535.00.020	2	20	100	20	40	5,0	RDMW1003M0...	342	170
5535.01.020	2	20	150	20	40	5,0	RDMW1003M0...	396	195
5545.00.025	2	25	125	25	50	6,0	RDMW12T3M0...	413	205
5545.01.025	2	25	180	25	60	6,0	RDMW12T3M0...	450	225
5545.00.032	3	32	125	32	50	6,0	RDMW12T3M0...	427	215
5545.01.032	3	32	180	32	60	6,0	RDMW12T3M0...	471	235

EXAMPLE PROMO 553500020







55_5.06 Milling cutter + 10 inserts for diameters up to Ø35
Milling cutter + 20 inserts for diameters up to Ø42



Reference		D	L	M	d	Insert size	PVP	PROMO PRICE
5535.06.020	2	20	30	M10	18	RDMW1003M0...	349	175
5535.06.025	3	25	35	M12	21	RDMW1003M0...	390	195
5535.06.035	4	35	43	M16	29	RDMW1003M0...	428	200
5535.06.042	5	42	43	M16	29	RDMW1003M0...	645	320
5545.06.025	2	25	35	M12	21	RDMW12T3M0...	420	210
5545.06.032	3	32	43	M16	29	RDMW12T3M0...	434	215
5545.06.035	3	35	43	M16	29	RDMW12T3M0...	447	210
5545.06.042	4	42	43	M16	29	RDMW12T3M0...	630	315
5545.06.042Z=5	5	42	43	M16	29	RDMW12T3M0...	645	320

EXAMPLE PROMO 553506025





5545.93 Milling cutter + 20 inserts

EXAMPLE PROMO 554593052



Reference		D	L	d	l3	a	Insert size	PVP	PROMO PRICE
5545.93.052	5	52	50	22	20	6	RDMW12T3M0...	612	305
5545.93.066	6	66	50	27	22	6	RDMW12T3M0...	696	345
5545.93.080	7	80	50	27	22	6	RDMW 12T3M0...	851	425